







PAN AMERICAN TOOL CORPORATION







America's Largest In-Stock Supplier of Quality Aircraft Cutting Tools







©2000 Pan American Tool Corp.



AIRCRAFT DRILLS AND TAPS

-  Cobalt Threaded Shank Adapter Drills
-  Threaded Shank Taper Router Bits
-  Aircraft Taper Router Bits
-  Cobalt Screw Machine Drills
-  Aerospace Taps
-  Step Drills

-  Cobalt Jobber Drills
-  Threaded Shank Double Margin Drills
-  Piloted Double Margin Drills
-  Double Margin Drills
-  Stove Burner Drills
-  Cobalt Extension Drills 6" & 12"

-  Carbide Threaded Shank Adapter Drills
-  Solid Carbide Drills
-  Carbide Brad Point Drills
-  Carbide Dagger Drills
-  Carbide Drill/Reamers
-  Carbide Extension Drills 6"

NOVA[®] PNEUMATIC TOOLS






PAINT CUTTERS

INSERT BITS

HSS & CARBIDE REAMERS

CARBIDE BURS & DEBURRING TOOLS




END MILLS

HSS & CARBIDE COUNTERSINKS

SURFACE CONDITIONING

CLECO FASTENERS



PAN AMERICAN TOOL CORPORATION

America's Largest In-Stock Supplier of Quality Aircraft Cutting Tools

Decimal Equivalents

CAGE CODE: 0PPF1

DRILL SIZE	MM	DECIMAL INCHES	DRILL SIZE	MM	DECIMAL INCHES	DRILL SIZE	MM	DECIMAL INCHES	DRILL SIZE	MM	DECIMAL INCHES
*	0.10	0.0039	45	2.08	0.0820	5	5.22	0.2055	7/16	11.11	0.4375
*	0.20	0.0079	44	2.18	0.0860	4	5.31	0.2090	29/64	11.51	0.4531
*	0.25	0.0098	43	2.26	0.0890	3	5.41	0.2130	15/32	11.91	0.4688
*	0.30	0.0118	42	2.37	0.0935	7/32	5.56	0.2188	*	12.00	0.4724
80	0.34	0.0135	3/32	2.38	0.0938	2	5.61	0.2210	31/64	12.30	0.4844
79	0.37	0.0145	41	2.44	0.0960	1	5.79	0.2280	1/2	12.70	0.5000
1/64	0.40	0.0156	40	2.50	0.0980	A	5.94	0.2340	*	13.00	0.5118
78	0.41	0.0160	39	2.53	0.0995	15/64	5.95	0.2344	33/64	13.10	0.5156
77	0.46	0.0180	38	2.58	0.1015	*	6.00	0.2362	17/32	13.49	0.5312
*	0.50	0.0197	37	2.64	0.1040	B	6.05	0.2380	35/64	13.89	0.5469
76	0.51	0.0200	36	2.71	0.1065	C	6.15	0.2420	*	14.00	0.5512
75	0.53	0.0210	7/64	2.78	0.1094	D	6.25	0.2460	9/16	14.29	0.5625
74	0.57	0.0225	35	2.79	0.1100	1/4	6.35	0.2500	37/64	14.68	0.5781
*	0.60	0.0236	34	2.82	0.1110	E	6.35	0.2500	*	15.00	0.5906
73	0.61	0.0240	33	2.87	0.1130	F	6.53	0.2570	19/32	15.08	0.5938
72	0.64	0.0250	32	2.95	0.1160	G	6.63	0.2610	39/64	15.48	0.6094
71	0.66	0.0260	*	3.00	0.1181	17/64	6.75	0.2656	5/8	15.88	0.6250
*	0.70	0.0276	31	3.05	0.1200	H	6.76	0.2660	*	16.00	0.6299
70	0.71	0.0280	1/8	3.18	0.1250	I	6.91	0.2720	41/64	16.27	0.6406
69	0.74	0.0292	30	3.26	0.1285	*	7.00	0.2756	21/32	16.67	0.6562
*	0.75	0.0295	29	3.45	0.1360	J	7.04	0.2770	*	17.00	0.6693
68	0.79	0.0310	28	3.57	0.1405	K	7.14	0.2810	43/64	17.07	0.6719
1/32	0.79	0.0312	9/64	3.57	0.1406	9/32	7.14	0.2812	11/16	17.46	0.6875
*	0.80	0.0315	27	3.66	0.1440	L	7.37	0.2900	45/64	17.86	0.7031
67	0.81	0.0320	26	3.73	0.1470	M	7.49	0.2950	*	18.00	0.7087
66	0.84	0.0330	25	3.80	0.1495	19/64	7.54	0.2969	23/32	18.26	0.7188
65	0.89	0.0350	24	3.86	0.1520	N	7.67	0.3020	47/64	18.65	0.7344
*	0.90	0.0354	23	3.91	0.1540	5/16	7.94	0.3125	*	19.00	0.7480
64	0.91	0.0360	5/32	3.97	0.1562	*	8.00	0.3150	3/4	19.05	0.7500
63	0.94	0.0370	22	3.99	0.1570	O	8.03	0.3160	49/64	19.45	0.7656
62	0.97	0.0380	*	4.00	0.1575	P	8.20	0.3230	25/32	19.84	0.7812
61	0.99	0.0390	21	4.04	0.1590	21/64	8.33	0.3281	*	20.00	0.7874
*	1.00	0.0394	20	4.09	0.1610	Q	8.43	0.3320	51/64	20.24	0.7969
60	1.02	0.0400	19	4.22	0.1660	R	8.61	0.3390	13/16	20.64	0.8125
59	1.04	0.0410	18	4.31	0.1695	11/32	8.73	0.3438	*	21.00	0.8268
58	1.07	0.0420	11/64	4.37	0.1719	S	8.84	0.3480	53/64	21.03	0.8281
57	1.09	0.0430	17	4.39	0.1730	*	9.00	0.3543	27/32	21.43	0.8438
56	1.18	0.0465	16	4.50	0.1770	T	9.09	0.3580	55/64	21.84	0.8594
3/64	1.19	0.0469	15	4.57	0.1800	23/64	9.13	0.3594	*	22.00	0.8661
55	1.32	0.0520	14	4.62	0.1820	U	9.35	0.3680	7/8	22.23	0.8750
54	1.40	0.0550	13	4.70	0.1850	3/8	9.53	0.3750	57/64	22.62	0.8906
53	1.51	0.0595	3/16	4.76	0.1875	V	9.56	0.3770	*	23.00	0.9055
1/16	1.59	0.0625	12	4.80	0.1890	W	9.80	0.3860	29/32	23.02	0.9062
52	1.61	0.0635	11	4.85	0.1910	25/64	9.92	0.3906	59/64	23.42	0.9219
51	1.70	0.0670	10	4.91	0.1935	*	10.00	0.3937	15/16	23.81	0.9375
50	1.78	0.0700	9	4.98	0.1960	X	10.08	0.3970	*	24.00	0.9449
49	1.85	0.0730	*	5.00	0.1969	Y	10.26	0.4040	61/64	24.21	0.9531
48	1.93	0.0760	8	5.05	0.1990	13/32	10.32	0.4062	31/32	24.61	0.9688
5/64	1.98	0.0781	7	5.11	0.2010	Z	10.49	0.4130	*	25.00	0.9843
47	1.99	0.0785	13/64	5.16	0.2031	27/64	10.72	0.4219	63/64	25.00	0.9844
*	2.00	0.0787	6	5.18	0.2040	*	11.00	0.4331	1"	25.40	1.0000
46	2.06	0.0810							1.0000		

PAN AMERICAN TOOL CORPORATION

5990 NW 31st Avenue • Ft. Lauderdale, Florida 33309-2208

PHONE (954)735-8665 or 1-800-423-2764 • FAX (954)735-8668

www.panamericantool.com